

Index

- Adamczak, M., Rzepka, E., Chudek, J. & Wicek, A. Ageing and plasma adiponectin concentration in apparently healthy males and females, 114
- Adams, C.B.T. *see* Karavitaki, N.
- Afshar, F. *see* Davies, J.H.
- Aguilera, A. *see* Diez, J.J.
- Ahn, C. *see* Hardin, D.S.
- Albert, C. *see* Rinkel, A.
- Alenfall, J. *see* Jostel, A.
- Alford, F.P. *see* McLachlan, K.A.
- Alvarez-Fidalgo, P. *see* Diez, J.J.
- Amin, R., Williams, R.M., Frystyk, J., Umpleby, M., Matthews, D., Orskov, H., Dalton, R.N. & Dunger, D.B. Increasing urine albumin excretion is associated with growth hormone hypersecretion and reduced clearance of insulin in adolescents and young adults with type 1 diabetes: The Oxford Regional Prospective Study, 137
- Andersen, M. *see* Glinborg, D.
- Andersen, O. *see* Haugaard, S.B.
- Andersen, U.B. *see* Haugaard, S.B.
- Anderson, D. *see* Chiang, C.Y.
- Andrewes, D.G. *see* Chiang, C.Y.
- Ansorge, O. *see* Karavitaki, N.
- Anyakou, V. *see* Forbes, S.
- Appolloni, G. *see* Freddi, S.
- Araujo, R.S., Billerbeck, A.E.C., Madureira, G., Mendonca, B.B. & Bachega, T.A.S.S. Substitutions in the CYP21A2 promoter explain the simple-virilizing form of 21-hydroxylase deficiency in patients harbouring a P30L mutation, 132
- Arends, N.J.T., Boonstra, V.H., Duivenvoorden, H.J., Hofman, P.L., Cutfield, W.S. & Hokken-Koelega, A.C.S. Reduced insulin sensitivity and the presence of cardiovascular risk factors in short prepubertal children born small for gestational age (SGA), 44
- Arnaldi, G. *see* Freddi, S.
- Arnold, A. *see* Costa-Guda, J.
- Arvat, E. *see* Ghigo, E.
- Ataç, F.B. *see* Kınık, S.T.
- Atmaca, H. *see* Tanriverdi, F.
- Aylwin, S.J.B. *see* Gilbert, J.A.
- Azziz, R. *see* Kumar, A.
- Bachega, T.A.S.S. *see* Araujo, R.S.
- Bachelot, A., Lebouleux, S., Baudin, E., Hartl, D.M., Caillou, B., Travagli, J.P. & Schlumberger, M. Neck recurrence from thyroid carcinoma: serum thyroglobulin and high-dose total body scan are not reliable criteria for cure after radioiodine treatment, 376
- Back, K.H. *see* Oh, K.W.
- Bajo, M.A. *see* Diez, J.J.
- Bar-Andziak, E. *see* Skórka, A.
- Barone, P. *see* Pellicchia, M.T.
- Barrett, T.G. *see* Rainbow, L.A.
- Barrett-Connor, E. Male testosterone: what is normal?, 263
- Bartolucci, A.A. *see* Kumar, A.
- Battaglia, M. *see* De Bellis, A.
- Baudin, E. *see* Bachelot, A.
- Baum, U. *see* Pavel, M.E.
- Bayram, F. *see* Tanriverdi, F.
- Beck-Peccoz, P. *see* Libè, R.
- Beck-Peccoz, P. *see* Mannavola, D.
- Bednarczuk, T. *see* Skórka, A.
- Belechri, M. *see* Petridou, E.
- Bell, G.D. *see* Renehan, A.G.
- Bellastella, A. *see* De Bellis, A.
- Bellastella, G. *see* De Bellis, A.
- Bencivelli, W. *see* Ceccarelli, C.
- Bengtsson, B.-Å. *see* Ehrnberg, C.
- Bengtsson, B.-Å. *see* Götherström, G.
- Bennedbak, F.N. *see* Hansen, P.S.
- Benton, A. *see* Ch'ng, C.L.
- Bergholm, R. *see* Seppälä, M.
- Berghout, A. *see* den Hollander, J.G.
- Bertagna, X. *see* Freddi, S.
- Besser, G.M. *see* Davies, J.H.
- Biermasz, N.R. *see* Pereira, A.M.
- Billerbeck, A.E.C. *see* Araujo, R.S.
- Birkeland, K.I. *see* Hjeltne, N.
- Biswas, M. *see* Ch'ng, C.L.
- Bizzarro, A. *see* De Bellis, A.
- Bloom, S.R. *see* Forbes, S.
- Bogazzi, F., Di Bello, V., Palagi, C., Donne, M.G.D., Di Cori, A., Gavioli, S., Talini, E., Cosci, C., Sardella, C., Brogioni, S., Mariani, M. & Martino, E. Improvement of intrinsic myocardial contractility and cardiac fibrosis degree in acromegalic patients treated with somatostatin analogues: a prospective study, 590
- Bondioni, S. *see* Libè, R.
- Bonnema, S.J. *see* Hansen, P.S.
- Boonstra, V.H. *see* Arends, N.J.T.
- Borges, M.A.R. *see* do Rosário, P.W.S.
- Born, J. *see* Oltmanns, K.M.
- Boroujerdi, M.A. *see* Giannoulis, M.G.
- Bosaeus, I. *see* Ehrnberg, C.
- Boscaro, M. *see* Freddi, S.
- Botusan, I. *see* Karavitaki, N.
- Bozzola, E. *see* Bozzola, M.
- Bozzola, M., Giovenale, D., Bozzola, E., Meazza, C., Martinetti, M., Tinelli, C. & Corazza, G.R. Growth hormone deficiency and coeliac disease: an unusual association?, 372
- Bradstock, K.F. *see* Sader, M.A.

Index

- Adamczak, M., Rzepka, E., Chudek, J. & Wicek, A. Ageing and plasma adiponectin concentration in apparently healthy males and females, 114
- Adams, C.B.T. *see* Karavitaki, N.
- Afshar, F. *see* Davies, J.H.
- Aguilera, A. *see* Diez, J.J.
- Ahn, C. *see* Hardin, D.S.
- Albert, C. *see* Rinkel, A.
- Alenfall, J. *see* Jostel, A.
- Alford, F.P. *see* McLachlan, K.A.
- Alvarez-Fidalgo, P. *see* Diez, J.J.
- Amin, R., Williams, R.M., Frystyk, J., Umpleby, M., Matthews, D., Orskov, H., Dalton, R.N. & Dunger, D.B. Increasing urine albumin excretion is associated with growth hormone hypersecretion and reduced clearance of insulin in adolescents and young adults with type 1 diabetes: The Oxford Regional Prospective Study, 137
- Andersen, M. *see* Glinborg, D.
- Andersen, O. *see* Haugaard, S.B.
- Andersen, U.B. *see* Haugaard, S.B.
- Anderson, D. *see* Chiang, C.Y.
- Andrewes, D.G. *see* Chiang, C.Y.
- Ansorge, O. *see* Karavitaki, N.
- Anyakoku, V. *see* Forbes, S.
- Appolloni, G. *see* Freddi, S.
- Araujo, R.S., Billerbeck, A.E.C., Madureira, G., Mendonca, B.B. & Bachega, T.A.S.S. Substitutions in the CYP21A2 promoter explain the simple-virilizing form of 21-hydroxylase deficiency in patients harbouring a P30L mutation, 132
- Arends, N.J.T., Boonstra, V.H., Duivenvoorden, H.J., Hofman, P.L., Cutfield, W.S. & Hokken-Koelega, A.C.S. Reduced insulin sensitivity and the presence of cardiovascular risk factors in short prepubertal children born small for gestational age (SGA), 44
- Arnaldi, G. *see* Freddi, S.
- Arnold, A. *see* Costa-Guda, J.
- Arvat, E. *see* Ghigo, E.
- Ataç, F.B. *see* Kınık, S.T.
- Atmaca, H. *see* Tanriverdi, F.
- Aylwin, S.J.B. *see* Gilbert, J.A.
- Azziz, R. *see* Kumar, A.
- Bachega, T.A.S.S. *see* Araujo, R.S.
- Bachelot, A., Lebouleux, S., Baudin, E., Hartl, D.M., Caillou, B., Travagli, J.P. & Schlumberger, M. Neck recurrence from thyroid carcinoma: serum thyroglobulin and high-dose total body scan are not reliable criteria for cure after radioiodine treatment, 376
- Back, K.H. *see* Oh, K.W.
- Bajo, M.A. *see* Diez, J.J.
- Bar-Andziak, E. *see* Skórka, A.
- Barone, P. *see* Pellicchia, M.T.
- Barrett, T.G. *see* Rainbow, L.A.
- Barrett-Connor, E. Male testosterone: what is normal?, 263
- Bartolucci, A.A. *see* Kumar, A.
- Battaglia, M. *see* De Bellis, A.
- Baudin, E. *see* Bachelot, A.
- Baum, U. *see* Pavel, M.E.
- Bayram, F. *see* Tanriverdi, F.
- Beck-Peccoz, P. *see* Libè, R.
- Beck-Peccoz, P. *see* Mannavola, D.
- Bednarczuk, T. *see* Skórka, A.
- Belechri, M. *see* Petridou, E.
- Bell, G.D. *see* Renehan, A.G.
- Bellastella, A. *see* De Bellis, A.
- Bellastella, G. *see* De Bellis, A.
- Bencivelli, W. *see* Ceccarelli, C.
- Bengtsson, B.-Å. *see* Ehrnberg, C.
- Bengtsson, B.-Å. *see* Götherström, G.
- Bennedbaek, F.N. *see* Hansen, P.S.
- Benton, A. *see* Ch'ng, C.L.
- Bergholm, R. *see* Seppälä, M.
- Berghout, A. *see* den Hollander, J.G.
- Bertagna, X. *see* Freddi, S.
- Besser, G.M. *see* Davies, J.H.
- Biermasz, N.R. *see* Pereira, A.M.
- Billerbeck, A.E.C. *see* Araujo, R.S.
- Birkeland, K.I. *see* Hjeltne, N.
- Biswas, M. *see* Ch'ng, C.L.
- Bizzarro, A. *see* De Bellis, A.
- Bloom, S.R. *see* Forbes, S.
- Bogazzi, F., Di Bello, V., Palagi, C., Donne, M.G.D., Di Cori, A., Gavioli, S., Talini, E., Cosci, C., Sardella, C., Brogioni, S., Mariani, M. & Martino, E. Improvement of intrinsic myocardial contractility and cardiac fibrosis degree in acromegalic patients treated with somatostatin analogues: a prospective study, 590
- Bondioni, S. *see* Libè, R.
- Bonnema, S.J. *see* Hansen, P.S.
- Boonstra, V.H. *see* Arends, N.J.T.
- Borges, M.A.R. *see* do Rosário, P.W.S.
- Born, J. *see* Oltmanns, K.M.
- Boroujerdi, M.A. *see* Giannoulis, M.G.
- Bosaeus, I. *see* Ehrnberg, C.
- Boscaro, M. *see* Freddi, S.
- Botusan, I. *see* Karavitaki, N.
- Bozzola, E. *see* Bozzola, M.
- Bozzola, M., Giovenale, D., Bozzola, E., Meazza, C., Martinetti, M., Tinelli, C. & Corazza, G.R. Growth hormone deficiency and coeliac disease: an unusual association?, 372
- Bradstock, K.F. *see* Sader, M.A.

- Brewer, C.M. *see* Ellard, S.
- Brewster, D.H. *see* Reynolds, R.M.
- Brix, T.H. *see* Hansen, P.S.
- Brogioni, S. *see* Bogazzi, F.
- Broglio, F. *see* Ghigo, E.
- Brossard, J.-H. *see* R  kel, A.
- Brufani, C. *see* Karavitaki, N.
- B  low Pedersen, I., Laurberg, P., Knudsen, N., J  rgensen, T., Perrild, H., Ovesen, L. & Rasmussen, L.B. A population study of the association between thyroid autoantibodies in serum and abnormalities in thyroid function and structure, 713
- Burke, V. *see* Cussons, A.J.
- Bussi, I. *see* Magni, P.
- Byberg, L. *see* Koupil, I.
- Caillou, B. *see* Bachelot, A.
- Cantor, T. *see* R  kel, A.
- Cappiello, V. *see* Lib  , R.
- Caruso-Nicoletti, M. *see* La Rosa, C.
- Casanueva, F.F. *see* Leal-Cerro, A.
- Castagna, A. *see* Magni, P.
- Ceccarelli, C., Bencivelli, W., Vitti, P., Grasso, L. & Pinchera, A. Outcome of radioiodine-131 therapy in hyperfunctioning thyroid nodules: a 20 years' retrospective study, 331
- Celermajer, D.S. *see* Sader, M.A.
- Cerutti, J. *see* Oler, G.
-   tinta  , S. *see* K  nk, S.T.
- Ch'ng, C.L., Biswas, M., Benton, A., Jones, M.K. & Kingham, J.G.C. Prospective screening for coeliac disease in patients with Graves' hyperthyroidism using anti-gliadin and tissue transglutaminase antibodies, 303
- Chambers, S.M. *see* Gilbert, J.A.
- Chan, I.-P. *see* Hsieh, Y.-Y.
- Chang, C.-C. *see* Hsieh, Y.-Y.
- Chao, H.-T. *see* Lee, H.-H.
- Chapman, I.M. *see* Parker, B.A.
- Chen, H.-S. *see* Jap, T.-S.
- Chen, S.-P. *see* Tsai, W.-C.
- Chiang, C.Y., Andrewes, D.G., Anderson, D., Devere, M., Schweitzer, I. & Zajac, J.D. A controlled, prospective study of neuropsychological outcomes post parathyroidectomy in primary hyperparathyroid patients, 99
- Chiu, C.-Y. *see* Jap, T.-S.
- Chiu, K.C., Martinez, D.S. & Chu, A. Comparison of the relationship of age and beta cell function in three ethnic groups, 296
- Choi, H.A. *see* Han, K.O.
- Choi, J.T. *see* Han, K.O.
- Choi, M.G. *see* Oh, K.W.
- Christiansen, J.S. *see* Gravholt, C.H.
- Chrousos, G. *see* Petridou, E.
- Chu, A. *see* Chiu, K.C.
- Chubb, S.A.P., Davis, W.A., Inman, Z. & Davis, T.M.E. Prevalence and progression of subclinical hypothyroidism in women with type 2 diabetes: the Fremantle Diabetes Study, 480
- Chudek, J. *see* Adamczak, M.
- Chung, B.-C. *see* Lee, H.-H.
- Chung, D.C. *see* Costa-Guda, J.
- Cianflone, K., Lu, H.L., Smith, J., Yu, W. & Wang, H.W. Adiponectin, acylation stimulating protein and complement C3 are altered in obesity in very young children, 567
- Cittadini, A. *see* Giannoulis, M.G.
- Coculescu, M. *see* Karavitaki, N.
- Codoceo, R. *see* D  ez, J.J.
- Colao, A. *see* Pellecchia, M.T.
- Cole, T. *see* Rainbow, L.A.
- Collu, R. *see* Freddi, S.
- Connell, J.M.C. *see* McCallum, R.W.
- Conte, M. *see* De Bellis, A.
- Cooper, C. *see* Cooper, M.S.
- Cooper, M.S., Syddall, H.E., Fall, C.H.D., Wood, P.J., Stewart, P.M., Cooper, C. & Dennison, E.M. Circulating cortisone levels are associated with biochemical markers of bone formation and lumbar spine BMD: the Hertfordshire Cohort Study, 692
- Corazza, G.R. *see* Bozzola, M.
- Coronella, C. *see* De Bellis, A.
- Corssmit, E.P.M. *see* Pereira, A.M.
- Cosci, C. *see* Bogazzi, F.
- Costa-Guda, J., Rosen, E.D., Jensen, R.T., Chung, D.C. & Arnold, A. Mutational analysis of *PPARG* as a candidate tumour suppressor gene in enteropancreatic endocrine tumours, 603
- Creatsas, G. *see* Diamanti-Kandarakis, E.
- Crofton, P.M., Evans, N.E.M., Wardhaugh, B., Groome, N.P. & Kelnar, C.J.H. Evidence for increased ovarian follicular activity in girls with premature thelarche, 205
- Cussons, A.J., Stuckey, B.G.A., Walsh, J.P., Burke, V. & Norman, R.J. Polycystic ovarian syndrome: marked differences between endocrinologists and gynaecologists in diagnosis and management, 289
- Cutfield, W.S. *see* Arends, N.J.T.
- Czernichow, P. *see* Gaudino, R.
- D'Amour, P. *see* R  kel, A.
- Dall, R. *see* Giannoulis, M.G.
- Dalton, R.N. *see* Amin, R.
- Damjanovic, S.S., Neskovic, A.N., Petakov, M.S., Popovic, V., Macut, D., Vukojevic, P. & Joksimovic, M.M. Clinical indicators of biochemical remission in acromegaly: does incomplete disease control always mean therapeutic failure?, 410
- Date, Y. *see* Kojima, S.
- Dattani, M.T. *see* Mehta, A.
- Davies, J.H., Storr, H.L., Davies, K., Monson, J.P., Besser, G.M., Afshar, F., Plowman, P.N., Grossman, A.B. & Savage, M.O. Final adult height and body mass index after cure of paediatric Cushing's disease, 466
- Davies, K. *see* Davies, J.H.
- Davies, R. *see* Mishra, M.
- Davis, T.M.E. *see* Chubb, S.A.P.
- Davis, W.A. *see* Chubb, S.A.P.
- De Bellis, A., Sansone, D., Coronella, C., Conte, M., Iorio, S., Perrino, S., Battaglia, M., Bellastella, G., Wall, J.R., Bellastella, A. & Bizzarro, A. Serum antibodies to collagen XIII: a further good marker of active Graves' ophthalmopathy, 24
- De Groot, P. *see* Hjeltne, N.
- De Michele, G. *see* Pellecchia, M.T.
- De Sanctis, V. *see* La Rosa, C.

- Death, A.K. *see* Sader, M.A.
 Dekker, F.W. *see* Terwee, C.B.
 Dennison, E.M. *see* Cooper, M.S.
 Dessypris, N. *see* Petridou, E.
 Devere, M. *see* Chiang, C.Y.
 Di Bello, V. *see* Bogazzi, F.
 Di Cori, A. *see* Bogazzi, F.
 Diamanti-Kandarakis, E., Piperi, C., Kalofoutis, A. & Creasas, G.
 Increased levels of serum advanced glycation end-products in women with polycystic ovary syndrome, 37
 Dieguez, C. *see* Leal-Cerro, A.
 Diez, J.J., Iglesias, P., Fernández-Reyes, M.J., Aguilera, A., Bajo, M.A., Alvarez-Fidalgo, P., Codoceo, R. & Selgas, R. Serum concentrations of leptin, adiponectin and resistin, and their relationship with cardiovascular disease in patients with end-stage renal disease, 242
 Dimaraki, E.V. *see* Kasa-Vubu, J.Z.
 Dominiczak, A.F. *see* McCallum, R.W.
 Donne, M.G.D. *see* Bogazzi, F.
 Dora, J.M. *see* de Souza Meyer, E.L.
 Doran, S. *see* Parker, B.A.
 Dougherty, R.H., Rohrer, J.L., Hayden, D., Rubin, S.D. & Leder, B.Z.
 Effect of aromatase inhibition on lipids and inflammatory markers of cardiovascular disease in elderly men with low testosterone levels, 228
 Dozio, E. *see* Magni, P.
 Dreimane, D. *see* Hardin, D.S.
 Duivenvoorden, H.J. *see* Arends, N.J.T.
 Dunger, D.B. *see* Amin, R.
 Durrington, P. *see* Mishra, M.
 Dyson, M. *see* Hardin, D.S.
 Ebina, K.N. *see* Oler, G.
 Echiburú, B. *see* Pérez-Bravo, F.
 Edelheit, O., Hanukoglu, I., Gizewska, M., Kandemir, N., Tenenbaum-Rakover, Y., Yurdakök, M., Zajacsek, S. & Hanukoglu, A.
 Novel mutations in epithelial sodium channel (ENaC) subunit genes and phenotypic expression of multisystem pseudohypoadosteronism, 547
 Ehrnberg, C. *see* Giannoulis, M.G.
 Ehrnberg, C., Ellegård, L., Bosaeus, I., Bengtsson, B.-Å. & Rosén, T.
 Supraphysiological growth hormone: less fat, more extracellular fluid but uncertain effects on muscles in healthy, active young adults, 449
 Ellard, S., Hattersley, A.T., Brewer, C.M. & Vaidya, B. Detection of an *MEN1* gene mutation depends on clinical features and supports current referral criteria for diagnostic molecular genetic testing, 169
 Ellegård, L. *see* Ehrnberg, C.
 Emmett, P. *see* Martin, R.M.
 Engbaek, F. *see* Gravholt, C.H.
 Enrici, R.M. *see* Minniti, G.
 Eryol, N.K. *see* Tanriverdi, F.
 Espelund, U. *see* Fuglsang, J.
 Esposito, V. *see* Minniti, G.
 Evans, N.E.M. *see* Crofton, P.M.
 Facchetti, M. *see* Mannavola, D.
 Faggiano, A. *see* Pellecchia, M.T.
 Fagundes, T.A. *see* do Rosário, P.W.S.
 Falch, J.A. *see* Hjeltne, N.
 Fall, C.H.D. *see* Cooper, M.S.
 Fan, S.C. *see* Hung, Y.-J.
 Fazioli, F. *see* Freddi, S.
 Fehm, H.L. *see* Oltmanns, K.M.
 Feldt-Rasmussen, U. *see* Lange, M.
 Ferkol, T. *see* Hardin, D.S.
 Fernández-Reyes, M.J. *see* Diez, J.J.
 Ferrario, S. *see* Magni, P.
 Filla, A. *see* Pellecchia, M.T.
 Fingerhut, A. *see* Hahn, S.
 Fisker, S. *see* Fuglsang, J.
 Flores, J.M. *see* Leal-Cerro, A.
 Flyvbjerg, A. *see* Fuglsang, J.
 Forbes, S., Moonan, M., Robinson, S., Anyaoku, V., Patterson, M., Murphy, K.G., Ghatel, M.A., Bloom, S.R. & Johnston, D.G.
 Impaired circulating glucagon-like peptide-1 response to oral glucose in women with previous gestational diabetes, 51
 Franco, A.C.H.M. *see* do Rosário, P.W.S.
 Freddi, S., Arnaldi, G., Fazioli, F., Scarpelli, M., Appolloni, G., Mancini, T., Kola, B., Bertagna, X., Mantero, F., Collu, R. & Boscaro, M. Expression of growth hormone-releasing hormone receptor splicing variants in human primary adrenocortical tumours, 533
 Frystyk, J. *see* Amin, R.
 Frystyk, J. *see* Fuglsang, J.
 Fugazzola, L. *see* Mannavola, D.
 Fuglsang, J., Skjærbaek, C., Espelund, U., Frystyk, J., Fisker, S., Flyvbjerg, A. & Ovesen, P. Ghrelin and its relationship to growth hormones during normal pregnancy, 554
 Fujinaga, H. *see* Ohkubo, K.
 Galati, M.C. *see* La Rosa, C.
 Garcia-Pesquera, F. *see* Leal-Cerro, A.
 Garel, C. *see* Gaudino, R.
 Gargiulo, P. *see* Minniti, G.
 Gaudino, R., Garel, C., Czernichow, P. & Léger, J. Proportion of various types of thyroid disorders among newborns with congenital hypothyroidism and normally located gland: a regional cohort study, 444
 Gavioli, S. *see* Bogazzi, F.
 Geller, D.S. Mineralocorticoid resistance, 513
 Gerding, M.N. *see* Terwee, C.B.
 Ghatel, M.A. *see* Forbes, S.
 Ghigo, E., Broglio, F., Arvat, E., Maccario, M., Papotti, M. & Muccioli, G. Ghrelin: more than a natural GH secretagogue and/or an orexigenic factor, 1
 Giannoulis, M.G., Boroujerdi, M.A., Powrie, J., Dall, R., Napoli, R., Ehrnberg, C., Pentecost, C., Cittadini, A., Jørgensen, J.O.L. & Sonksen, P.H. on behalf of the GH-2000 Study Group. Gender differences in growth hormone response to exercise before and after rhGH administration and the effect of rhGH on the hormone profile of fit normal adults, 315
 Gibney, J., Smith, T.P. & McKenna, T.J. Clinical relevance of macroprolactin, 633

- Gibson, M. *see* Mishra, M.
- Gilbert, J.A., Miell, J.P., Chambers, S.M., McGregor, A.M. & Aylwin, S.J.B. The nadir growth hormone after an octreotide test dose predicts the long-term efficacy of somatostatin analogue therapy in acromegaly, 742
- Ginsberg, J.P. *see* Ham, J.N.
- Giovenale, D. *see* Bozzola, M.
- Gizewska, M. *see* Edelheit, O.
- Glintborg, D., Andersen, M., Hagen, C. & Hermann, A.P. Higher bone mineral density in Caucasian, hirsute patients of reproductive age. Positive correlation of testosterone levels with bone mineral density in hirsutism, 683
- Gong, G. *see* Kim, T.Y.
- Gooren, L.J.G. *see* de Ronde, W.
- Götherström, G., Bengtsson, B.-Å., Sunnerhagen, K.S., Johannsson, G. & Svensson, J. The effects of five-year growth hormone replacement therapy on muscle strength in elderly hypopituitary patients, 105
- Grasso, L. *see* Ceccarelli, C.
- Gravholt, C.H., Hjerrild, B.E., Naeraa, R.W., Engbaek, F., Mosekilde, L. & Christiansen, J.S. Effect of growth hormone and 17 β -oestradiol treatment on metabolism and body composition in girls with Turner syndrome, 616
- Grobbée, D.E. *see* de Ronde, W.
- Groome, N.P. *see* Crofton, P.M.
- Grossman, A.B. *see* Davies, J.H.
- Guardabasso, V. *see* La Rosa, C.
- Guay, A.T. *see* Mohr, B.A.
- Gunnell, D. *see* Martin, R.M.
- Hagen, C. *see* Glintborg, D.
- Hahn, E.G. *see* Pavel, M.E.
- Hahn, S., Fingerhut, A., Khomtsiv, U., Khomtsiv, L., Tan, S., Quadbeck, B., Herrmann, B.L., Knebel, B., Müller-Wieland, D., Mann, K. & Janssen, O.E. The peroxisome proliferator activated receptor gamma Pro12Ala polymorphism is associated with a lower hirsutism score and increased insulin sensitivity in women with polycystic ovary syndrome, 573
- Ham, J.N., Ginsberg, J.P., Hendell, C.D. & Moshang Jr, T. Growth hormone releasing hormone plus arginine stimulation testing in young adults treated in childhood with cranio-spinal radiation therapy, 628
- Han, I.K. *see* Han, K.O.
- Han, K.O., Choi, J.T., Choi, H.A., Moon, I.G., Yim, C.H., Park, W.K., Yoon, H.K. & Han, I.K. The changes in circulating osteoprotegerin after hormone therapy in postmenopausal women and their relationship with oestrogen responsiveness on bone, 349
- Handelsman, D.J. *see* Sader, M.A.
- Hansen, B.R. *see* Haugaard, S.B.
- Hansen, P.S., Brix, T.H., Bennedbaek, F.N., Bonnema, S.J., Iachine, I., Kvivik, K.O. & Hegedüs, L. The relative importance of genetic and environmental factors in the aetiology of thyroid nodularity: a study of healthy Danish twins, 380
- Hanukoglu, A. *see* Edelheit, O.
- Hanukoglu, I. *see* Edelheit, O.
- Hardin, D.S., Ferkol, T., Ahn, C., Dreimane, D., Dyson, M., Morse, M., Prestidge, C., Rice, J. & Seilheimer, D.K. A retrospective study of growth hormone use in adolescents with cystic fibrosis, 560
- Hartl, D.M. *see* Bachelot, A.
- Hassler, G. *see* Pavel, M.E.
- Hattersley, A.T. *see* Ellard, S.
- Haugaard, S.B., Andersen, O., Vølund, A., Hansen, B.R., Iversen, J., Andersen, U.B., Nielsen, J.O. & Madsbad, S. β -Cell dysfunction and low insulin clearance in insulin-resistant human immunodeficiency virus (HIV)-infected patients with lipodystrophy, 354
- Hayden, D. *see* Dougherty, R.H.
- He, C.-T. *see* Hung, Y.-J.
- Hegedüs, L. *see* Hansen, P.S.
- Hendell, C.D. *see* Ham, J.N.
- Herrmann, A.P. *see* Glintborg, D.
- Herrmann, B.L. *see* Hahn, S.
- Hill, M.D. *see* Sader, M.A.
- Hindmarsh, P.C. *see* Mehta, A.
- Hjeltnes, N., De Groot, P., Birkeland, K.I., Falch, J.A. & Iversen, P.O. Tetraplegic subjects have hyperleptinaemia with marked circadian variation, 223
- Hjerrild, B.E. *see* Gravholt, C.H.
- Hofman, P.L. *see* Arends, N.J.T.
- Hokken-Koelega, A.C.S. *see* Arends, N.J.T.
- den Hollander, J.G., Wulkan, R.W., Mantel, M.J. & Berghout, A. Correlation between severity of thyroid dysfunction and renal function, 423
- Holly, J.M.P. *see* Martin, R.M.
- Hong, S.J. *see* Kim, T.Y.
- Horowitz, M. *see* Need, A.G.
- Horowitz, M. *see* Parker, B.A.
- Hsieh, C.-H. *see* Hung, Y.-J.
- Hsieh, Y.-Y., Chan, I.-P., Wang, H.-I., Chang, C.-C., Huang, C.-W. & Lin, C.-S. PROGINs Alu sequence insertion is associated with hyperprolactinaemia but not leiomyoma susceptibility, 492
- Huang, C.-W. *see* Hsieh, Y.-Y.
- Hueston, W.J. *see* Wells, B.J.
- Hulse, P.A. *see* Jostel, A.
- Hung, Y.-J., Hsieh, C.-H., Pei, D., Kuo, S.-W., Lee, J.-T., Wu, L.-Y., He, C.-T., Lee, C.H., Fan, S.C. & Sheu, W.H.-H. Rosiglitazone improves insulin sensitivity and glucose tolerance in subjects with impaired glucose tolerance, 85
- Iachine, I. *see* Hansen, P.S.
- Iacobellis, G., Ribaldo, M.C., Zappaterreno, A., Iannucci, C.V. & Leonetti, F. Relationship of thyroid function with body mass index, leptin, insulin sensitivity and adiponectin in euthyroid obese women, 487
- Iannucci, C.V. *see* Iacobellis, G.
- Iglesias, P. *see* Díez, J.J.
- Ihm, S.H. *see* Oh, K.W.
- Inder, W.J., Prickett, T.C.R. & Mulder, R.T. Normal opioid tone and hypothalamic-pituitary-adrenal axis function in chronic fatigue syndrome despite marked functional impairment, 343
- Inman, Z. *see* Chubb, S.A.P.

- Iorio, S. *see* De Bellis, A.
- Ito, Y. *see* Takeda, Y.
- Iversen, J. *see* Haugaard, S.B.
- Iversen, P.O. *see* Hjeltne, N.
- Jaffrain-Rea, M.-L. *see* Minniti, G.
- Janssen, O.E. *see* Hahn, S.
- Jap, T.-S., Chiu, C.-Y., Won, J.G.-S., Wu, Y.-C. & Chen, H.-S. Novel mutations in the *MEN1* gene in subjects with multiple endocrine neoplasia-1, 336
- Jennings, C.E., Owen, C.J., Wilson, V. & Pearce, S.H.S. No association of the codon 55 methionine to valine polymorphism in the *SUMO4* gene with Graves' disease, 362
- Jensen, R.T. *see* Costa-Guda, J.
- Jimenez, M. *see* Sader, M.A.
- Johannsson, G. *see* Götherström, G.
- Johnston, D.G. *see* Forbes, S.
- Joksimovic, M.M. *see* Samjanovic, S.S.
- Jones, M.K. *see* Ch'ng, C.L.
- de Jong, F.H. *see* de Ronde, W.
- Jørgensen, J.O.L. *see* Giannoulis, M.G.
- Jørgensen, T. *see* Bülow Pedersen, I.
- Jostel, A., Mukherjee, A., Alenfall, J., Smethurst, L. & Shalet, S.M. A new sustained-release preparation of human growth hormone and its pharmacokinetic, pharmacodynamic and safety profile, 623
- Jostel, A., Mukherjee, A., Hulse, P.A. & Shalet, S.M. Adult growth hormone replacement therapy and neuroimaging surveillance in brain tumour survivors, 698
- Juul, A. *see* Lange, M.
- Kahaly, G.J. *see* Terwee, C.B.
- Kalofoutis, A. *see* Diamanti-Kandarakis, E.
- Kandemir, N. *see* Edelheit, O.
- Kang, M.I. *see* Oh, K.W.
- Karavitaki, N. *see* Tzanela, M.
- Karavitaki, N., Botusan, I., Radian, S., Coculescu, M., Turner, H.E. & Wass, J.A.H. The value of an acute octreotide suppression test in predicting long-term responses to depot somatostatin analogues in patients with active acromegaly, 282
- Karavitaki, N., Brufani, C., Warner, J.T., Adams, C.B.T., Richards, P., Ansorge, O., Shine, B., Turner, H.E. & Wass, J.A.H. Craniopharyngiomas in children and adults: systematic analysis of 121 cases with long-term follow-up, 397
- Kasa-Vubu, J.Z., Dimaraki, E.V. & Young, E.A. The pattern of growth hormone secretion during the menstrual cycle in normal and depressed women, 656
- Kastrup, K.W. *see* Lange, M.
- Kaushal, K. *see* Mishra, M.
- Kedikoglou, S. *see* Petridou, E.
- Kelestimur, F. *see* Tanriverdi, F.
- Kelnar, C.J.H. *see* Crofton, P.M.
- Kern, W. *see* Oltmanns, K.M.
- Khomtsiv, L. *see* Hahn, S.
- Khomtsiv, U. *see* Hahn, S.
- Kikuchi, K. *see* Ohkubo, K.
- Kim, S.W. *see* Oh, K.W.
- Kim, T.Y., Kim, W.B., Gong, G., Hong, S.J. & Shong, Y.K. Metastasis to the thyroid diagnosed by fine-needle aspiration biopsy, 236
- Kim, T.Y., Song, J.Y., Kim, W.B. & Shong, Y.K. Arg16Gly polymorphism in β 2-adrenergic receptor gene is not associated with thyrotoxic periodic paralysis in Korean male patients with Graves' disease, 585
- Kim, W.B. *see* Kim, T.Y.
- Kimura, E.T. *see* Oler, G.
- Kingham, J.G.C. *see* Ch'ng, C.L.
- Kınık, S.T., Ataç, F.B., Verdi, H., Çetintaş, S., Şahin, F.I. & Özbek, N. The effect of plasminogen activator inhibitor-1 gene 4G/5G polymorphism on glucose and lipid metabolisms in Turkish obese children, 607
- Kirk, J.M.W. *see* Rainbow, L.A.
- Knebel, B. *see* Hahn, S.
- Knudsen, N. *see* Bülow Pedersen, I.
- Koistinen, R. *see* Seppälä, M.
- Kojima, S., Nakahara, T., Nagai, N., Muranaga, T., Tanaka, M., Yasuhara, D., Masuda, A., Date, Y., Ueno, H., Nakazato, M. & Naruo, T. Altered ghrelin and peptide YY responses to meals in bulimia nervosa, 74
- Kola, B. *see* Freddi, S.
- Koupil, I., Mann, V., Leon, D.A., Lundberg, U., Byberg, L. & Vågerö, D. Morning cortisol does not mediate the association of size at birth with blood pressure in children born from full-term pregnancies, 661
- de Kraker, J. *see* van Santen, H.M.
- Kumar, A., Woods, K.S., Bartolucci, A.A. & Azziz, R. Prevalence of adrenal androgen excess in patients with the polycystic ovary syndrome (PCOS), 644
- Kuo, S.-W. *see* Hung, Y.-J.
- Kuo, S.-W. *see* Tsai, W.-C.
- Kyvik, K.O. *see* Hansen, P.S.
- La Rosa, C., De Sanctis, V., Mangiagli, A., Mancuso, M., Guardabasso, V., Galati, M.C. & Caruso-Nicoletti, M. Growth hormone secretion in adult patients with thalassaemia, 667
- Lange, M., Müller, J., Svendsen, O.L., Kastrup, K.W., Juul, A. & Feldt-Rasmussen, U. The impact of idiopathic childhood-onset growth hormone deficiency (GHD) on bone mass in subjects without adult GHD, 18
- Laurberg, P. *see* Bülow Pedersen, I.
- Leal-Cerro, A., Flores, J.M., Rincon, M., Murillo, F., Pujol, M., Garcia-Pesquera, F., Dieguez, C. & Casanueva, F.F. Prevalence of hypopituitarism and growth hormone deficiency in adults long-term after severe traumatic brain injury, 525
- Leboulleux, S. *see* Bachelot, A.
- Leder, B.Z. *see* Dougherty, R.H.
- Lee, C.H. *see* Hung, Y.-J.
- Lee, C.-H. *see* Tsai, W.-C.
- Lee, H.-H., Won, G.-S., Chao, H.-T., Lee, Y.-J. & Chung, B.-C. Novel missense mutations, GCC [Ala306] \rightarrow GTC [Val] and ACG [Thr318] \rightarrow CCG [Pro], in the *CYP11B1* gene cause steroid 11 β -hydroxylase deficiency in the Chinese, 418
- Lee, J.H. *see* Petridou, E.
- Lee, J.-T. *see* Hung, Y.-J.
- Lee, W.Y. *see* Oh, K.W.

- Lee, Y.-J. *see* Lee, H.-H.
- Léger, J. *see* Gaudino, R.
- Leon, D.A. *see* Koupil, I.
- Leonetti, F. *see* Iacobellis, G.
- Li, J.-C. *see* Tsai, W.-C.
- Libè, R., Morpurgo, P.S., Cappiello, V., Maffini, A., Bondioni, S., Locatelli, M., Zavanone, M., Beck-Peccoz, P. & Spada, A. Ghrelin and adiponectin in patients with Cushing's disease before and after successful transsphenoidal surgery, 30
- Lin, C.-S. *see* Hsieh, Y.-Y.
- Liuzzi, A. *see* Magni, P.
- Locatelli, M. *see* Libè, R.
- Lohmann, T. *see* Pavel, M.E.
- Lombardi, G. *see* Pellecchia, M.T.
- Lu, H.L. *see* Cianflone, K.
- Luiza Maia, A. *see* de Souza Meyer, E.L.
- Lundberg, U. *see* Koupil, I.
- Mabuchi, H. *see* Takeda, Y.
- Maccario, M. *see* Ghigo, E.
- Mackness, M. *see* Mishra, M.
- Macut, D. *see* Damjanovic, S.S.
- Madsbad, S. *see* Haugaard, S.B.
- Madureira, G. *see* Araujo, R.S.
- Maffini, A. *see* Libè, R.
- Magni, P., Liuzzi, A., Ruscica, M., Dozio, E., Ferrario, S., Bussi, I., Minocci, A., Castagna, A., Motta, M. & Savia, G. Free and bound plasma leptin in normal weight and obese men and women: relationship with body composition, resting energy expenditure, insulin-sensitivity, lipid profile and macronutrient preference, 189
- Maliqueo, M. *see* Pérez-Bravo, F.
- Mancini, T. *see* Freddi, S.
- Mancuso, M. *see* La Rosa, C.
- Mandelin, E. *see* Seppälä, M.
- Mangiagli, A. *see* La Rosa, C.
- Mann, K. *see* Hahn, S.
- Mann, V. *see* Koupil, I.
- Mannavola, D., Persani, L., Vannucchi, G., Zanardelli, M., Fugazzola, L., Verga, U., Facchetti, M. & Beck-Peccoz, P. Different responses to chronic somatostatin analogues in patients with central hyperthyroidism, 176
- Mantel, M.J. *see* den Hollander, J.G.
- Mantero, F. *see* Freddi, S.
- Mantzoros, C.S. *see* Petridou, E.
- Mariani, M. *see* Bogazzi, F.
- Martin, R.M., Holly, J.M.P., Smith, G.D., Ness, A.R., Emmett, P., Rogers, I. & Gunnell, D. for the ALSPAC Study Team. Could associations between breastfeeding and insulin-like growth factors underlie associations of breastfeeding with adult chronic disease? The Avon Longitudinal Study of Parents and Children, 728
- Martinetti, M. *see* Bozzola, M.
- Martinez, D.S. *see* Chiu, K.C.
- Martino, E. *see* Bogazzi, F.
- Masuda, A. *see* Kojima, S.
- Matthews, D. *see* Amin, R.
- McCallum, R.W., Sainsbury, C.A.R., Spiers, A., Dominiczak, A.F., Petrie, J.R., Sattar, N. & Connell, J.M.C. Growth hormone replacement reduces C-reactive protein and large-artery stiffness but does not alter endothelial function in patients with adult growth hormone deficiency, 473
- McGrath, K.C.Y. *see* Sader, M.A.
- McGregor, A.M. *see* Gilbert, J.A.
- McKenna, T.J. *see* Gibney, J.
- McKinlay, J.B. *see* Mohr, B.A.
- McLachlan, K.A. & Alford, F.P. The impact of acute elevation of non-esterified fatty acids on insulin sensitivity and secretion in women with former gestational diabetes, 79
- Meazza, C. *see* Bozzola, M.
- Mehta, A., Hindmarsh, P.C. & Dattani, M.T. An update on the biochemical diagnosis of congenital ACTH insufficiency, 307
- Mendonca, B.B. *see* Araujo, R.S.
- Michaluart Jr, P. *see* Oler, G.
- Miell, J.P. *see* Gilbert, J.A.
- Minniti, G., Jaffrain-Rea, M.-L., Osti, M., Esposito, V., Santoro, A., Solda, F., Gargiulo, P., Tamburrano, G. & Enrici, R.M. The long-term efficacy of conventional radiotherapy in patients with GH-secreting pituitary adenomas, 210
- Minocci, A. *see* Magni, P.
- Mishra, M., Durrington, P., Mackness, M., Siddals, K.W., Kaushal, K., Davies, R., Gibson, M. & Ray, D.W. The effect of atorvastatin on serum lipoproteins in acromegaly, 650
- Mohr, B.A., Guay, A.T., O'Donnell, A.B. & McKinlay, J.B. Normal, bound and nonbound testosterone levels in normally ageing men: results from the Massachusetts Male Ageing Study, 64
- Monson, J.P. *see* Davies, J.H.
- Moon, I.G. *see* Han, K.O.
- Moonan, M. *see* Forbes, S.
- Morpurgo, P.S. *see* Libè, R.
- Morse, M. *see* Hardin, D.S.
- Mosekilde, L. *see* Gravholt, C.H.
- Mosekilde, L. Vitamin D and the elderly, 265
- Moshang Jr, T. *see* Ham, J.N.
- Motta, M. *see* Magni, P.
- Muccioli, G. *see* Ghigo, E.
- Mukherjee, A. *see* Jostel, A.
- Mulder, R.T. *see* Inder, W.J.
- Müller, J. *see* Lange, M.
- Muller, M. *see* de Ronde, W.
- Müller-Wieland, D. *see* Hahn, S.
- Muranaga, T. *see* Kojima, S.
- Murillo, F. *see* Leal-Cerro, A.
- Murphy, K.G. *see* Forbes, S.
- Murray, R.D. & Shalet, S.M. Insulin sensitivity is impaired in adults with varying degrees of GH deficiency, 182
- Naeraa, R.W. *see* Gravholt, C.H.
- Nagai, N. *see* Kojima, S.
- Nagashima, M. *see* Ohkubo, K.
- Naito, Y. *see* Ohkubo, K.
- Nakahara, T. *see* Kojima, S.
- Nakazato, M. *see* Kojima, S.

- Napoli, R. *see* Giannoulis, M.G.
 Naruo, T. *see* Kojima, S.
 Nassif, E. *see* Râkel, A.
 Nauman, J. *see* Skôrka, A.
 Need, A.G., O'Loughlin, P.D., Horowitz, M. & Nordin, B.E.C.
 Relationship between fasting serum glucose, age, body mass index and serum 25 hydroxyvitamin D in postmenopausal women, 738
 Neskovic, A.N. *see* Damjanovic, S.S.
 Ness, A.R. *see* Martin, R.M.
 Nielsen, J.O. *see* Haugaard, S.B.
 Nordin, B.E.C. *see* Need, A.G.
 Norman, R.J. *see* Cussons, A.J.
 Oda, N. *see* Takeda, Y.
 O'Donnell, A.B. *see* Mohr, B.A.
 O'Dwyer, S.T. *see* Renehan, A.G.
 Oh, K.W., Rhee, E.J., Lee, W.Y., Kim, S.W., Baek, K.H., Kang, M.I., Yun, E.J., Park, C.Y., Ihm, S.H., Choi, M.G., Yoo, H.J. & Park, S.W.
 Circulating osteoprotegerin and receptor activator of NF- κ B ligand system are associated with bone metabolism in middle-aged males, 92
 Ohkubo, K., Nagashima, M., Naito, Y., Taguchi, T., Suita, S., Okamoto, N., Fujinaga, H., Tsumura, K., Kikuchi, K. & Ono, J.
 Genotypes of the pancreatic β -cell K-ATP channel and clinical phenotypes of Japanese patients with persistent hyperinsulinaemic hypoglycaemia of infancy, 458
 Okamoto, N. *see* Ohkubo, K.
 Oler, G., Ebina, K.N., Michaluart Jr, P., Kimura, E.T. & Cerutti, J.
 Investigation of BRAF mutation in a series of papillary thyroid carcinoma and matched-lymph node metastasis reveals a new mutation in metastasis, 509
 O'Loughlin, P.D. *see* Need, A.G.
 Oltmanns, K.M., Peters, A., Kern, W., Fehm, H.L., Born, J. & Schultes, B.
 Preserved inhibitory effect of recurrent hypoglycaemia on the male gonadotrophic axis, 217
 Ono, J. *see* Ohkubo, K.
 Orskov, H. *see* Amin, R.
 Osti, M. *see* Minniti, G.
 Ovesen, L. *see* Bülow Pedersen, I.
 Ovesen, P. *see* Fuglsang, J.
 Owen, C.J. *see* Jennings, C.E.
 Özbek, N. *see* Kınık, S.T.
 Ozdogru, I. *see* Tanriverdi, F.
 Painter, J.E. *see* Renehan, A.G.
 Palagi, C. *see* Bogazzi, F.
 Papathoma, E. *see* Petridou, E.
 Papotti, M. *see* Ghigo, E.
 Park, C.Y. *see* Oh, K.W.
 Park, S.W. *see* Oh, K.W.
 Park, W.K. *see* Han, K.O.
 Parker, B.A., Doran, S., Wishart, J., Horowitz, M. & Chapman, I.M.
 Effects of small intestinal and gastric glucose administration on the suppression of plasma ghrelin concentrations in healthy older men and women, 539
 Patenaude, J.-V. *see* Râkel, A.
 Patterson, M. *see* Forbes, S.
 Pavel, M.E., Hassler, G., Baum, U., Hahn, E.G., Lohmann, T. & Schuppan, D.
 Circulating levels of angiogenic cytokines can predict tumour progression and prognosis in neuroendocrine carcinomas, 434
 Pearce, S.H.S. *see* Jennings, C.E.
 Pei, D. *see* Hung, Y.-J.
 Pei, D. *see* Tsai, W.-C.
 Pellecchia, M.T., Pivonello, R., Salvatore, E., Faggiano, A., Barone, P., De Michele, G., Lombardi, G., Colao, A. & Filla, A.
 Growth hormone response to arginine test distinguishes multiple system atrophy from Parkinson's disease and idiopathic late-onset cerebellar ataxia, 428
 Pentecost, C. *see* Giannoulis, M.G.
 Pereira, A.M., Schmid, E.M., Schutte, P.J., Voormolen, J.H.C., Biermasz, N.R., van Thiel, S.W., Corssmit, E.P.M., Smit, J.W.A., Roelfsema, F. & Romijn, J.A.
 High prevalence of long-term cardiovascular, neurological and psychosocial morbidity after treatment for craniopharyngioma, 197
 Pérez-Bravo, F., Echiburú, B., Maliqueo, M., Santos, J.L. & Sir-Petermann, T.
 Tryptophan 64 \rightarrow arginine polymorphism of β -3-adrenergic receptor in Chilean women with polycystic ovary syndrome, 126
 Perrild, H. *see* Bülow Pedersen, I.
 Perrino, S. *see* De Bellis, A.
 Persani, L. *see* Mannavola, D.
 Petakov, M.S. *see* Damjanovic, S.S.
 Peters, A. *see* Oltmanns, K.M.
 Petridou, E., Mantzoros, C.S., Belechri, M., Skalkidou, A., Dessypris, N., Papathoma, E., Salvanos, H., Lee, J.H., Kedikoglou, S., Chrousos, G. & Trichopoulos, D.
 Neonatal leptin levels are strongly associated with female gender, birth length, IGF-I levels and formula feeding, 366
 Petrie, J.R. *see* McCallum, R.W.
 Pierik, F.H. *see* de Ronde, W.
 Pinchera, A. *see* Ceccarelli, C.
 Piperi, C. *see* Diamanti-Kandarakis, E.
 Pivonello, R. *see* Pellecchia, M.T.
 Ploski, R. *see* Skôrka, A.
 Plowman, P.N. *see* Davies, J.H.
 Pols, H.A.P. *see* de Ronde, W.
 Popovic, V. *see* Damjanovic, S.S.
 Powrie, J. *see* Giannoulis, M.G.
 Prestidge, C. *see* Hardin, D.S.
 Prickett, T.C.R. *see* Inder, W.J.
 Prummel, M.F. *see* Terwee, C.B.
 Pujol, M. *see* Leal-Cerro, A.
 Purisch, S. *see* do Rosário, P.W.S.
 Quadbeck, B. *see* Hahn, S.
 Radian, S. *see* Karavitaki, N.
 Rainbow, L.A., Rees, S.A., Shaikh, M.G., Shaw, N.J., Cole, T., Barrett, T.G. & Kirk, J.M.W.
 Mutation analysis of POUF-1, PROP-1 and HESX-1 show low frequency of mutations in children with sporadic forms of combined pituitary hormone deficiency and septo-optic dysplasia, 163
 Râkel, A., Brossard, J.-H., Patenaude, J.-V., Albert, C., Nassif, E., Cantor, T., Rousseau, L. & D'Amour, P.
 Overproduction of an

- amino-terminal form of PTH distinct from human PTH(1-84) in a case of severe primary hyperparathyroidism: influence of medical treatment and surgery, 721
- Rasmussen, L.B. *see* Bülow Pedersen, I.
- Ray, D.W. *see* Mishra, M.
- Rees, S.A. *see* Rainbow, L.A.
- Renahan, A.G., Painter, J.E., Bell, G.D., Rowland, R.S., O'Dwyer, S.T. & Shalet, S.M. Determination of large bowel length and loop complexity in patients with acromegaly undergoing screening colonoscopy, 323
- Reynolds, R.M., Weir, J., Stockton, D.L., Brewster, D.H., Sandeep, T.C. & Strachan, M.W.J. Changing trends in incidence and mortality of thyroid cancer in Scotland, 156
- Rhee, E.J. *see* Oh, K.W.
- Ribaud, M.C. *see* Iacobellis, G.
- Rice, J. *see* Hardin, D.S.
- Richards, P. *see* Karavitaki, N.
- Rincon, M. *see* Leal-Cerro, A.
- Robinson, S. *see* Forbes, S.
- Roelfsema, F. *see* Pereira, A.M.
- Rogers, I. *see* Martin, R.M.
- Rohrer, J.L. *see* Dougherty, R.H.
- Romijn, J.A. *see* Pereira, A.M.
- de Ronde, W., van der Schouw, Y.T., Pierik, F.H., Pols, H.A.P., Muller, M., Grobbee, D.E., Gooren, L.J.G., Weber, R.F.A. & de Jong, F.H. Serum levels of sex hormone-binding globulin (SHBG) are not associated with lower levels of non-SHBG-bound testosterone in male newborns and healthy adult men, 498
- do Rosário, P.W.S., Borges, M.A.R., Fagundes, T.A., Franco, A.C.H.M. & Purisch, S. Is stimulation of thyroglobulin (Tg) useful in low-risk patients with thyroid carcinoma and undetectable Tg on thyroxine and negative neck ultrasound?, 121
- Rosén, T. *see* Ehrnborg, C.
- Rosen, E.D. *see* Costa-Guda, J.
- Rousseau, L. *see* Räkel, A.
- Rowland, R.S. *see* Renahan, A.G.
- Rubin, S.D. *see* Dougherty, R.H.
- Ruscica, M. *see* Magni, P.
- Rzepka, E. *see* Adamczak, M.
- Sader, M.A., McGrath, K.C.Y., Hill, M.D., Bradstock, K.F., Jimenez, M., Handelsman, D.J., Celermajer, D.S. & Death, A.K. Androgen receptor gene expression in leucocytes is hormonally regulated: implications for gender differences in disease pathogenesis, 56
- Şahin, F.I. *see* Kınık, S.T.
- Sainsbury, C.A.R. *see* McCallum, R.W.
- Salvanos, H. *see* Petridou, E.
- Salvatore, E. *see* Pellicchia, M.T.
- Sandeep, T.C. *see* Reynolds, R.M.
- Sansone, D. *see* De Bellis, A.
- van Santen, H.M., Thonissen, N.M., de Kraker, J. & Vulsma, T. Changes in thyroid hormone state in children receiving chemotherapy, 250
- Santoro, A. *see* Minniti, G.
- Santos, J.L. *see* Pérez-Bravo, F.
- Sardella, C. *see* Bogazzi, F.
- Sarikaya, I. *see* Tanriverdi, F.
- Sattar, N. *see* McCallum, R.W.
- Savage, M.O. *see* Davies, J.H.
- Savia, G. *see* Magni, P.
- Scarpelli, M. *see* Freddi, S.
- Schlumberger, M. *see* Bachelot, A.
- Schlumberger, M. Is stimulation of thyroglobulin (Tg) useful in low-risk patients with thyroid carcinoma and undetectable Tg on thyroxine and negative neck ultrasound?, 119
- Schmid, E.M. *see* Pereira, A.M.
- van der Schouw, Y.T. *see* de Ronde, W.
- Schultes, B. *see* Oltmanns, K.M.
- Schuppan, D. *see* Pavel, M.E.
- Schutte, P.J. *see* Pereira, A.M.
- Schweitzer, I. *see* Chiang, C.Y.
- Seilheimer, D.K. *see* Hardin, D.S.
- Selgas, R. *see* Díez, J.J.
- Seppälä, M., Mandelin, E., Koistinen, R., Bergholm, R., Tiikkainen, M. & Yki-Järvinen, H. Glycodelin responses to hyperinsulinaemic clamp vary according to basal serum glycodelin concentration, 611
- Shaikh, M.G. *see* Rainbow, L.A.
- Shalet, S.M. *see* Jostel, A.
- Shalet, S.M. *see* Murray, R.D.
- Shalet, S.M. *see* Renahan, A.G.
- Shaw, N.J. *see* Rainbow, L.A.
- Sheu, W.H.-H. *see* Hung, Y.-J.
- Shine, B. *see* Karavitaki, N.
- Shong, Y.K. *see* Kim, T.Y.
- Siddals, K.W. *see* Mishra, M.
- Sir-Petermann, T. *see* Pérez-Bravo, F.
- Skórka, A., Bednarczyk, T., Bar-Andziak, E., Nauman, J. & Ploski, R. Lymphoid tyrosine phosphatase (PTPN22/LYP) variant and Graves' disease in a Polish population: association and gene dose-dependent correlation with age of onset, 679
- Skaikidou, A. *see* Petridou, E.
- Skjærbaek, C. *see* Fuglsang, J.
- Smethurst, L. *see* Jostel, A.
- Smit, J.W.A. *see* Pereira, A.M.
- Smith, G.D. *see* Martin, R.M.
- Smith, J. *see* Cianflone, K.
- Smith, T.P. *see* Gibney, J.
- Solda, F. *see* Minniti, G.
- Song, J.Y. *see* Kim, T.Y.
- Sonksen, P.H. *see* Giannoulis, M.G.
- de Souza Meyer, E.L., Dora, J.M., Wagner, M.S. & Maia, A.L. Decreased type 1 iodothyronine deiodinase expression might be an early and discrete event in thyroid cell dedifferentiation towards papillary carcinoma, 672
- Spada, A. *see* Libè, R.
- Spiers, A. *see* McCallum, R.W.
- Stewart, P.M. *see* Cooper, M.S.
- Stockton, D.L. *see* Reynolds, R.M.
- Storr, H.L. *see* Davies, J.H.
- Strachan, M.W.J. *see* Reynolds, R.M.

- Stuckey, B.G.A. *see* Cussons, A.J.
 Stylianidou, Ch. *see* Tzanela, M.
 Suita, S. *see* Ohkubo, K.
 Sunnerhagen, K.S. *see* Götherström, G.
 Svendsen, O.L. *see* Lange, M.
 Svensson, J. *see* Götherström, G.
 Syddall, H.E. *see* Cooper, M.S.
 Taguchi, T. *see* Ohkubo, K.
 Takeda, Y., Usukura, M., Yoneda, T., Oda, N., Ito, Y. & Mabuchi, H.
 The expression of messenger RNA for ADP-ribosyl cyclase in
 aldosterone-producing adenomas, 504
 Talini, E. *see* Bogazzi, F.
 Tamburrano, G. *see* Minniti, G.
 Tan, S. *see* Hahn, S.
 Tanaka, M. *see* Kojima, S.
 Tanriverdi, F., Eryol, N.K., Atmaca, H., Unluhizarci, K., Ozdogru, I.,
 Sarikaya, I., Bayram, F. & Kelestimur, F. The effects of
 12 months of growth hormone replacement therapy on cardiac
 autonomic tone in adults with growth hormone deficiency, 706
 Tenenbaum-Rakover, Y. *see* Edelheit, O.
 Terwee, C.B., Prummel, M.F., Gerding, M.N., Kahaly, G.J.,
 Dekker, F.W. & Wiersinga, W.M. Measuring disease activity to
 predict therapeutic outcome in Graves' ophthalmopathy, 145
 Thalassinou, N.C. *see* Tzanela, M.
 van Thiel, S.W. *see* Pereira, A.M.
 Thonissen, N.M. *see* van Santen, H.M.
 Tiikkainen, M. *see* Seppälä, M.
 Tinelli, C. *see* Bozzola, M.
 Travagli, J.P. *see* Bachelot, A.
 Trichopoulos, D. *see* Petridou, E.
 Tsagarakis, S. *see* Tzanela, M.
 Tsai, W.-C., Pei, D., Wang, T.-F., Wu, D.-A., Li, J.-C., Wei, C.L.,
 Lee, C.-H., Chen, S.-P. & Kuo, S.-W. The effect of combination
 therapy with propylthiouracil and cholestyramine in the treat-
 ment of Graves' hyperthyroidism, 521
 Tsumura, K. *see* Ohkubo, K.
 Turner, H.E. *see* Karavitaki, N.
 Tzanela, M., Zianni, D., Stylianidou, Ch., Karavitaki, N., Tsagarakis, S.
 & Thalassinou, N.C. Evaluation of GH reserve in patients with
 adrenal incidentalomas and biochemical evidence of subclinical
 autonomous glucocorticoid hypersecretion, 597
 Ueno, H. *see* Kojima, S.
 Umpleby, M. *see* Amin, R.
 Unluhizarci, K. *see* Tanriverdi, F.
 Usukura, M. *see* Takeda, Y.
 Vågerö, D. *see* Koupil, I.
 Vaidya, B. *see* Ellard, S.
 Vannucchi, G. *see* Mannavola, D.
 Verdi, H. *see* Kinik, S.T.
 Verga, U. *see* Mannavola, D.
 Vitti, P. *see* Ceccarelli, C.
 Vølund, A. *see* Haugaard, S.B.
 Voormolen, J.H.C. *see* Pereira, A.M.
 Vukojevic, P. *see* Damjanovic, S.S.
 Vulsma, T. *see* van Santen, H.M.
 Wagner, M.S. *see* de Souza Meyer, E.L.
 Wall, J.R. *see* De Bellis, A.
 Walsh, J.P. *see* Cussons, A.J.
 Wang, H.W. *see* Cianflone, K.
 Wang, H.-I. *see* Hsieh, Y.-Y.
 Wang, T.-F. *see* Tsai, W.-C.
 Wardhaugh, B. *see* Crofton, P.M.
 Warner, J.T. *see* Karavitaki, N.
 Wass, J.A.H. *see* Karavitaki, N.
 Weber, R.F.A. *see* de Ronde, W.
 Wei, C.L. *see* Tsai, W.-C.
 Weir, J. *see* Reynolds, R.M.
 Wells, B.J. & Hueston, W.J. Are thyroid peroxidase antibodies
 associated with cardiovascular disease risk in patients with
 subclinical hypothyroidism?, 580
 Wiecek, A. *see* Adamczak, M.
 Wiersinga, W.M. *see* Terwee, C.B.
 Williams, R.M. *see* Amin, R.
 Wilson, J.D. The evolution of endocrinology, 387
 Wilson, V. *see* Jennings, C.E.
 Wishart, J. *see* Parker, B.A.
 Won, G.-S. *see* Lee, H.-H.
 Won, J.G.-S. *see* Jap, T.-S.
 Wood, P.J. *see* Cooper, M.S.
 Woods, K.S. *see* Kumar, A.
 Wu, D.-A. *see* Tsai, W.-C.
 Wu, L.-Y. *see* Hung, Y.-J.
 Wu, Y.-C. *see* Jap, T.-S.
 Wulkan, R.W. *see* den Hollander, J.G.
 Yasuhara, D. *see* Kojima, S.
 Yim, C.H. *see* Han, K.O.
 Yki-Järvinen, H. *see* Seppälä, M.
 Yoneda, T. *see* Takeda, Y.
 Yoo, H.J. *see* Oh, K.W.
 Yoon, H.K. *see* Han, K.O.
 Young, E.A. *see* Kasa-Vubu, J.Z.
 Yu, W. *see* Cianflone, K.
 Yun, E.J. *see* Oh, K.W.
 Yurdakök, M. *see* Edelheit, O.
 Zajac, J.D. *see* Chiang, C.Y.
 Zajaczek, S. *see* Edelheit, O.
 Zanardelli, M. *see* Mannavola, D.
 Zappaterreno, A. *see* Iacobellis, G.
 Zavanone, M. *see* Libè, R.
 Zianni, D. *see* Tzanela, M.

Subject index to Volume 62

- Acromegaly**
acute octreotide suppression test 282
cardiac function and somatostatin analogues 590
clinical endpoints of treatment 410
effect of atorvastatin on lipoprotein profile 650
large bowel dimensions 323
predictive marker of disease remission (Rapid publication) 742
radiotherapy of GH-secreting pituitary adenomas 210
- ACTH**
Synacthen test in congenital insufficiency 307
- Acylation-stimulating protein (ASP)**
in obesity in young children 567
- Adipocytokines**
in renal failure 242
- Adiponectin**
in ageing males and females 114
in Cushing's disease 30
in obesity in young children 567
in renal failure 242
thyroid function in uncomplicated obesity 487
- Adolescents**
GH, microalbuminuria and type 1 diabetes 137
GH use and cystic fibrosis 560
- ADP-ribosyl cyclase**
in aldosterone synthesis 504
- Adrenal adenomas**
ADP-ribosyl cyclase and aldosterone synthesis 504
- Adrenal carcinomas**
GHRH receptor splice variants 533
- Adrenal incidentalomas**
GH reserve 597
- Ageing**
adiponectin in males and females 114
beta cell function in 296
normal testosterone levels in men 64 (Commentary) 263
see also Elderly subjects
- Albumin**
microalbuminuria, GH and type 1 diabetes 137
- Aldosterone**
mineralocorticoid resistance (Review article) 513
mRNA and ADP-ribosyl cyclase in synthesis 504
- Androgens**
adrenal, excess in PCOS 644
regulation of androgen receptor in leucocytes 56
- Angiogenic cytokines**
in neuroendocrine carcinomas 434
- Arginine stimulation tests**
GH response in PD, MSA and ILOCA 428
GHD due to cranial radiation 628
- Aromatase**
inhibition in elderly men 228
- Artery function**
GH therapy in GHD 473
- Atorvastatin**
effect on lipoproteins in acromegaly 650
- Autoantibodies**
abnormalities in thyroid function and structure 713
screening for coeliac disease in Graves' hyperthyroidism 303
- Beta cells**
age-related decline in function 296
genotypes and phenotypes of Japanese PHHI patients 458
insulin sensitivity in HIV infection 354
- Birthweight**
morning cortisol and blood pressure 661
- Blood pressure**
morning cortisol and birthweight 661
- Body composition**
effects of GH 449
free and bound leptin in lean and obese subjects 189
GH and oestradiol treatment in Turner syndrome 616
- Body mass index (BMI)**
after cure of Cushing's disease 466
thyroid function in uncomplicated obesity 487
- Bone**
BMD in adults with childhood-onset GHD 18
BMD and cortisone levels 692
BMD and hirsutism 683
metabolism, osteoprotegerin and RANKL in males 92
osteoprotegerin and response to oestrogen therapy 349
vitamin D and the elderly (Review article) 268
- Bowel, large**
dimensions in acromegaly 323
- Brain injury**
hypopituitarism and GHD 525
- Brain tumour**
GH therapy and neuroimaging surveillance 698
- Breast cancer**
vitamin D and the elderly (Review article) 274
- Breast development** see Thelarche
- Breastfeeding**
associations with IGF-I and health 728
- Bulimia nervosa**
ghrelin and peptide YY responses 74
- CAH**
novel mutations and 11 β -hydroxylase deficiency 418
simple virilizing, genetic factors 132

- Calcium
 - supplementation, and the elderly (Review article) 270, 275
- Cardiac autonomic tone
 - GH therapy in GHD 706
- Cardiac function
 - in acromegaly 590
- Cardiovascular disease
 - adipocytokines and renal failure 242
 - advanced glycation end-products in PCOS 37
 - effects of aromatase inhibition in elderly men 228
 - insulin sensitivity in SGA children 44
 - long-term morbidity in craniopharyngioma 197
 - mineralocorticoid resistance (Review article) 513
 - subclinical hypothyroidism 580
 - vitamin D and the elderly (Review article) 274
- Cerebellar ataxia, idiopathic late-onset 428
- Chemotherapy
 - thyroid function in children 250
- Children
 - adiponectin, ASP and C3 in obesity 567
 - associations between breastfeeding and IGF-I 728
 - chemotherapy and thyroid function 250
 - childhood-onset GHD and BMD in adults 18
 - cortisol, birthweight and blood pressure 661
 - CPHD and septo-optic dysplasia 163
 - final height and BMI after cure of Cushing's disease 466
 - genotypes and phenotypes of Japanese PHHI patients 458
 - GH and oestradiol treatment in Turner syndrome 616
 - inhibin B and FSH in premature thelarche 205
 - outcome of craniopharyngiomas 397
 - PAI-1 gene in obesity 607
 - see also Adolescents; Neonates
 - SGA, and insulin sensitivity 44
- Cholestyramine
 - in Graves' hyperthyroidism 521
- Chronic fatigue syndrome
 - opioids and HPA axis 343
- Coeliac disease
 - with GHD 372
 - screening in Graves' hyperthyroidism 303
- Collagen XIII
 - antibodies, and Graves' ophthalmopathy 24
- Colon cancer
 - vitamin D and the elderly (Review article) 272
- Colonoscopy
 - large bowel dimensions in acromegaly 323
- Complement C3
 - obesity in young children 567
- Cortisol
 - birthweight and blood pressure 661
- Cortisone
 - bone markers and BMD 692
- Craniopharyngiomas
 - long-term morbidity 197
 - outcome in children and adults 397
- Cranio-spinal radiation therapy
 - diagnosis of adult GHD 628
- C-reactive protein
 - GH therapy in GHD 473
- Cushing's disease/syndrome
 - DHEA levels (Letter) 258
 - final height and BMI after cure 466
 - ghrelin and adiponectin 30
 - rosiglitazone therapy (Letter) 259
- Cystic fibrosis
 - GH use in adolescents 560
- Cytokines see Adipocytokines; Angiogenic cytokines
- Depression
 - GH secretion and menstrual cycle 656
- DHEA
 - levels in treated Cushing's disease (Letter) 258
- DHEAS
 - excess in PCOS 644
- Diabetes
 - gestational, and impaired GLP-1 response 51
 - gestational, and non-esterified fatty acids 79
 - type 1, GH and microalbuminuria 137
 - type 2, and subclinical hypothyroidism 480
 - type 2, vitamin D and the elderly (Review article) 274
- Eating disorders see Bulimia nervosa
- Elderly subjects
 - effects of aromatase inhibition in men 228
 - GH therapy and muscle strength 105
 - suppression of ghrelin secretion by glucose infusion 539
 - vitamin D status (Review article) 270, 275
 - see also Ageing
- Endocrinology
 - evolution of (Review article) 389
- Endothelial function
 - GH therapy in GHD 473
- Enteropancreatic endocrine tumours
 - PPARG gene in 603
- Exercise
 - gender differences in GH response 315
- Falling, risk of
 - vitamin D and the elderly (Review article) 269
- Fatigue see Chronic fatigue syndrome
- Fatty acids
 - non-esterified, following GDM 79
- Fine-needle aspiration biopsy
 - metastasis to thyroid 236
- Formula feeding
 - leptin levels in neonates 366
- FSH
 - in premature thelarche 205
- Genetics
 - aetiology of thyroid nodules 380

- BRAF* mutation in PTC and lymph node metastases (Rapid publication) 509
- CPHD with septo-optic dysplasia 163
- diagnostic molecular testing for *MEN1* 169
- factors in Graves' disease (Letter) 258
- genotypes and phenotypes of Japanese PHHI patients 458
- GHRH receptor splice variants in adrenal carcinomas 533
- lymphoid tyrosine phosphatase and Graves' disease 679
- mineralocorticoid resistance (Review article) 513
- novel ENaC mutations in pseudohyperaldosteronism 547
- novel mutations in CAH caused by 11 β -hydroxylase deficiency 418
- novel mutations in *MEN1* gene 336
- PAI-1 gene in obese children 607
- PPARG* in enteropancreatic endocrine tumours 603
- PPAR γ* gene, hirsutism and insulin sensitivity in PCOS 573
- PROGINS* in leiomyoma and hyperprolactinaemia 492
- promoter and P30L mutations in CAH-21OH 132
- regulation of androgen receptor in leucocytes 56
- SUMO4* gene in Graves' disease 362
- thyrotoxic periodic paralysis in Graves' disease 585
- Trp64Arg variant in PCOS women 126
- GH**
- in adolescents with cystic fibrosis 560
- as clinical marker in acromegaly 410
- effects on body composition 449
- gender differences in response to exercise 315
- ghrelin, growth hormones and pregnancy 554
- microalbuminuria and type 1 diabetes 137
- new sustained-release drug 623
- predictive marker of disease remission in acromegaly (Rapid publication) 742
- radiotherapy of pituitary adenomas 210
- reserve, in subclinical hypercortisolism 597
- secretion in adults with thalassaemia 667
- secretion and menstrual cycle 656
- stimulation tests in PD, MSA and ILOCA 428
- therapy, brain tumour and neuroimaging surveillance 698
- therapy and cardiac autonomic tone 706
- therapy and endothelial function 473
- therapy, and muscle strength in the elderly 105
- therapy, in Turner syndrome 616
- GHD**
- childhood-onset, and BMD 18
- with coeliac disease 372
- diagnosis after cranio-spinal radiation therapy 628
- effects of GH on endothelial function 473
- GH therapy and cardiac autonomic tone 706
- hypopituitarism in traumatic brain injury 525
- insulin sensitivity in adults 182
- Ghrelin**
- in bulimia nervosa 74
- in Cushing's disease 30
- in pregnancy 554
- spectrum of actions (Review article) 1
- suppression by duodenal and gastric infusion of glucose 539
- GHRH**
- diagnosis of GHD due to cranial radiation 628
- receptor splice variants in adrenal carcinomas 533
- Glucagon-like peptide-1 (GLP-1)**
- response following gestational diabetes 51
- Glucocorticoids**
- action on bone 692
- hypersecretion, and GH reserve 597
- Glucose**
- fasting, and 25(OH)D 738
- impaired GLP-1 response following GDM 51
- impaired tolerance, and rosiglitazone 85
- metabolism, PAI-1 gene in obese children 607
- suppression of ghrelin secretion 539
- tolerance, and age-related beta cell dysfunction 296
- tolerance, beta cell function and insulin sensitivity in HIV infection 354
- Glycation**
- advanced end-products in PCOS 37
- Glycodelin**
- in acute hyperinsulinaemia 611
- Gonadotrophins**
- male, and recurrent hypoglycaemia 217
- Graves' disease**
- combination therapy for hyperthyroidism 521
- genetic factors (Letter) 258
- lymphoid tyrosine phosphatase genetic variant 679
- ophthalmopathy, and collagen XIII antibodies 24
- ophthalmopathy, disease activity 145
- screening for coeliac disease 303
- SUMO4* gene in 362
- thyrotoxic periodic paralysis 585
- Hashimoto's disease**
- thyroid autoantibodies 713
- Health**
- associations between breastfeeding and IGF-I 728
- Height**
- adult, after cure of Cushing's disease 466
- Hirsutism**
- BMD and testosterone levels 683
- PPAR γ* gene in PCOS 573
- HIV infection**
- beta cell function and insulin clearance 354
- HPA axis**
- birthweight and blood pressure 661
- in chronic fatigue syndrome 343
- Human immunodeficiency virus** see HIV infection
- 11 β -Hydroxylase deficiency**
- novel mutations and CAH 418
- 21-Hydroxylase deficiency**
- in simple virilizing CAH 132

- 25-Hydroxyvitamin D
 - 25(OH)D and fasting glucose 738
 - in the elderly (Review article) 265
- Hypercortisolism
 - subclinical, and GH reserve 597
- Hyperinsulinaemia
 - genotypes and phenotypes of Japanese PHHI patients 458
 - glycodelin responses 611
- Hyperleptinaemia
 - circadian variation in tetraplegia 223
- Hyperparathyroidism
 - neuropsychological outcomes post parathyroidectomy 99
 - primary, N-PTH in 721
- Hyperprolactinaemia
 - clinical relevance of macroprolactin (Review article) 633
 - PROGINS in 492
- Hyperthyroidism
 - central, and somatostatin analogues 176
 - combination therapy in Graves' disease 521
 - effects on renal function 423
 - Graves', screening for coeliac disease 303
- Hypoglycaemia
 - genotypes and phenotypes of Japanese PHHI patients 458
 - recurrent, and male sex hormones 217
- Hypopituitarism
 - GH therapy and endothelial function 473
 - GH therapy and muscle strength in the elderly 105
 - with septo-optic dysplasia 163
 - in traumatic brain injury 525
- Hypothyroidism
 - congenital, with normally located gland 444
 - effects on renal function 423
 - subclinical, and cardiovascular disease 580
 - subclinical, and type 2 diabetes 480
 - thyroid autoantibodies 713
- Idiopathic late-onset cerebellar ataxia (ILOCA)
 - GH response to arginine test 428
- IGF-I
 - breastfeeding and health 728
 - clinical marker in acromegaly 410
 - GH and gender differences in response to exercise 315
 - GH, microalbuminuria and type 1 diabetes 137
 - leptin levels in neonates 366
- Inhibin B
 - in premature thelarche 205
- Insulin
 - glycodelin in acute hyperinsulinaemia 611
 - metabolism, microalbuminuria and type 1 diabetes 137
 - sensitivity, and adult GHD 182
 - sensitivity, and beta cell function in HIV infection 354
 - sensitivity, following gestational diabetes 79
 - sensitivity, free and bound leptin levels 189
 - sensitivity, and PPAR γ gene in PCOS 573
 - sensitivity, and rosiglitazone 85
 - sensitivity, in SGA children 44
 - sensitivity, and thyroid function in uncomplicated obesity 487
- Iodothyronine deiodinase
 - type 1, and papillary carcinoma 672
- Leiomyoma
 - susceptibility, and PROGINS 492
- Leptin
 - diurnal levels in tetraplegia 223
 - free and bound, in lean and obese subjects 189
 - levels in neonates 366
 - in renal failure 242
 - thyroid function in uncomplicated obesity 487
- Leucocytes
 - androgen regulation of androgen receptor 56
- Lipids
 - effects of aromatase inhibition in elderly men 228
 - free and bound leptin in lean and obese subjects 189
 - metabolism, PAI-1 gene in obese children 607
 - non-esterified fatty acids following GDM 79
 - see also Fatty acids; Lipoproteins; Triglycerides
- Lipodystrophy
 - beta cell function and insulin clearance in HIV infection 354
- Lipoproteins
 - effect of atorvastatin in acromegaly 650
- Lymph node metastases
 - BRAF mutation in papillary thyroid carcinoma (Rapid publication) 509
 - from thyroid carcinoma, disease indicators 376
- Lymphoid tyrosine phosphatase
 - variant, and Graves' disease 679
- Macroprolactinaemia
 - clinical relevance of macroprolactin (Review article) 633
- Men
 - adiponectin in ageing 114
 - effects of aromatase inhibition in the elderly 228
 - GH response to exercise 315
 - male sex hormones in recurrent hypoglycaemia 217
 - normal testosterone levels and ageing 64 (Commentary) 263
 - osteoprotegerin and RANKL in bone metabolism 92
 - SHBG and non-SHBG-bound testosterone 498
- Menstrual cycle
 - pattern of GH secretion 656
- Metabolism
 - free and bound leptin in lean and obese subjects 189
 - GH and oestradiol treatment in Turner syndrome 616
 - see also Bone
- Microalbuminuria
 - GH and type 1 diabetes 137
- Mineralocorticoid resistance (Review article) 513
- Multiple endocrine neoplasia (MEN)
 - diagnostic molecular genetic testing for *MEN1* 169
 - novel mutations in *MEN1* gene 336

- Multiple system atrophy (MSA)
 - GH response to arginine test 428
- Muscle function
 - vitamin D and the elderly (Review article) 268
- Muscle strength
 - GH therapy in the elderly 105
- Neonates
 - congenital hypothyroidism with normally located gland 444
 - leptin levels 366
 - SHBG and non-SHBG-bound testosterone in males 498
- Neuroendocrine carcinomas
 - angiogenic cytokines 434
- Neuroimaging
 - surveillance, brain tumours and GH therapy 698
- Neurology
 - long-term morbidity in craniopharyngioma 197
- Neuropsychological outcomes
 - post parathyroidectomy 99
- Obesity
 - adiponectin, ASP and C3 in young children 567
 - free and bound leptin levels 189
 - PAI-1 gene in children 607
 - thyroid function 487
- Octreotide suppression test
 - in acromegaly 282
 - predictive marker of disease remission in acromegaly (Rapid publication) 742
- 17 β -Oestradiol
 - treatment in Turner syndrome 616
- Oestrogen
 - replacement, and bone metabolism 349
- Ophthalmopathy (in Graves' disease)
 - disease activity 145
 - marker of active disease 24
- Opioids
 - in chronic fatigue syndrome 343
- Osteoporosis
 - vitamin D and the elderly (Review article) 268
- Osteoprotegerin
 - RANKL and bone metabolism in males 92
 - responsiveness to oestrogen therapy 349
- Ovarian function
 - in premature thelarche 205
 - see also Polycystic ovary syndrome
- Parathyroid
 - N-PTH in primary hyperparathyroidism 721
- Parathyroidectomy
 - neuropsychological outcomes 99
- Parkinson's disease
 - GH response to arginine test 428
- Peptide YY
 - in bulimia nervosa 74
- Persistent hyperinsulinaemic hypoglycaemia of infancy (PHHI)
 - genotypes and phenotypes of Japanese patients 458
- Pituitary adenomas
 - GH-secreting, and radiotherapy 210
- Pituitary disease
 - combined pituitary hormone deficiency 163
- Polycystic ovary syndrome (PCOS)
 - adrenal androgen excess 644
 - advanced glycation end-products 37
 - PPAR γ gene, hirsutism and insulin sensitivity 573
 - survey of diagnosis and management 289
 - Trp64Arg variant 126
- Pregnancy
 - ghrelin and growth hormones 554
- Prolactin
 - clinical relevance of macroprolactin (Review article) 633
- Propylthiouracil
 - in Graves' hyperthyroidism 521
- Prostate cancer
 - vitamin D and the elderly (Review article) 274
- Pseudohyperaldosteronism
 - multisystem, novel ENaC mutations 547
 - type 1, mineralocorticoid resistance (Review article) 513
 - type 2, mineralocorticoid resistance (Review article) 516
- Psychosocial factors
 - long-term morbidity in craniopharyngioma 197
- Quality of life
 - DHEA levels in Cushing's disease (Letter) 258
- Radiation therapy
 - cranio-spinal, and GHD 628
 - GH-secreting adenomas 210
- Radioiodine-131 therapy
 - hyperfunctioning thyroid nodules 331
 - lymph node metastases from thyroid carcinoma 376
- RANKL
 - osteoprotegerin and bone metabolism in men 92
- Renal failure
 - adipocytokines in 242
- Renal function
 - mineralocorticoid resistance (Review article) 513
 - relationship with thyroid status 423
- Resistin
 - in renal failure 242
- Resting energy expenditure (REE)
 - free and bound leptin in lean and obese subjects 189
- Rosiglitazone
 - insulin sensitivity and glucose tolerance 85
 - therapy in Cushing's syndrome (Letter) 259
- Septo-optic dysplasia
 - with hypopituitarism 163
- SHBG
 - non-SHBG-bound testosterone in male neonates and men 498

- Sodium
 - novel ENaC mutations in pseudohyperaldosteronism 547
- Somatostatin analogues
 - acute octreotide suppression test in acromegaly 282
 - cardiac function in acromegaly 590
 - in central hyperthyroidism 176
 - predictive marker of disease remission in acromegaly (Rapid publication) 742
- Synacthen test
 - in ACTH insufficiency 307
- Testosterone
 - aromatase inhibition in elderly men 228
 - BMD and hirsutism 683
 - non-SHBG-bound, in male neonates and men 498
 - normal levels in ageing men 64 (Commentary) 263
- Tetraplegia
 - diurnal leptin levels 223
- Thalassaemia
 - GH secretion in adults 667
- Thelarche
 - premature, inhibin B and FSH 205
- Thyroglobulin
 - stimulation in thyroid carcinoma 121 (Commentary) 119
- Thyroid carcinoma
 - incidence and mortality in Scotland 156
 - lymph node metastases 376
 - metastatic, diagnosis by FNAB 236
 - papillary, *BRAF* mutation and lymph node metastases (Rapid publication) 509
 - papillary, and D1 expression 672
 - rhTSH in differentiated cancer (Letter) 261
 - thyroglobulin stimulation in 121 (Commentary) 119
- Thyroid function
 - association with renal function 423
 - in children receiving chemotherapy 250
 - D1 expression and papillary carcinoma 672
 - structure, abnormalities and autoantibodies 713
 - in uncomplicated obesity 487
- Thyroid nodules
 - genetic factors 380
 - hyperfunctioning, and radioiodine-131 therapy 331
- Thyroid peroxidase antibodies
 - cardiovascular disease and subclinical hypothyroidism 580
- Thyrotropic periodic paralysis
 - in Graves' disease 585
- Thyroxine
 - in thyroid carcinoma 121 (Commentary) 119
- Triglycerides
 - Trp64Arg variant in PCOS 126
- TSH
 - rhTSH in differentiated thyroid cancer (Letter) 261
- Turner syndrome
 - GH and oestradiol treatment 616
- Ultrasound
 - neck, in thyroid carcinoma 121 (Commentary) 119
- Vitamin D
 - 25(OH)D and fasting glucose 738
 - status in the elderly (Review article) 265
- Women
 - 25(OH)D and fasting glucose 738
 - adiponectin in ageing 114
 - adrenal androgen excess in PCOS 644
 - advanced glycation end-products in PCOS 37
 - depression, GH secretion and menstrual cycle 656
 - diagnosis and management of PCOS 289
 - in GH response to exercise 315
 - impaired GLP-1 response following GDM 51
 - non-esterified fatty acids following GDM 79
 - osteoprotegerin and response to oestrogen therapy 349
 - PPAR γ gene, hirsutism and insulin sensitivity in PCOS 573
 - thyroid function in uncomplicated obesity 487
 - Trp64Arg variant in PCOS 126
 - type 2 diabetes and subclinical hypothyroidism 480

